

# PuIM-M2-2S

M.2 PCIe SSD expansion card supports two M.2 2280 PCIe NVMe (3.0 x4) SSDs; two PCIe 3.0 x4 host interface



## Features

- » Supports two M.2 2280 PCIe NVMe (3.0 x4) SSDs
- » M.2 SSD temperature is monitored in real time by sensor IC
- » 2 PCIe 3.0 x4
- » LED indicator shows the M.2 status
- » RoHS compliant

## Specifications

| Physical Characteristics |  |
|--------------------------|--|
| Dimensions (LxWxH) (mm)  | 165.50 (L) x 77.8 (W) x 44.2 (H)             |
| Environment              |  |
| Operating Temperature    | 0°C ~ 40°C (32°F ~ 104°F)                    |
| Storage Temperature      | -20°C ~ 75°C (-4°F ~ 167°F)                  |
| Humidity                 | 5% ~ 90% RH, Non-condensing                  |
| Certifications           |  |
| Safety & EMC             | RoHS   |
| Card Slot Interface      |  |
| M.2                      | 2 x M key 2260/2280/22110 (PCIe 3.0 x4/NVMe) |

## Ordering Information

|                |   |
|----------------|---|
| PuIM-M2-2S-R10 | M.2 PCIe SSD expansion card supports two M.2 2280 PCIe NVMe (3.0 x4) SSDs; two PCIe 3.0 x4 host interface |
|----------------|---|

## Packing List

|                     |                              |
|---------------------|------------------------------|
| 1 x PuIM-M2-2S      | 1 x L-shaped T10 Plum Wrench |
| 2 x Torx Screws     | 4 x M.2 SSD Screws           |
| 2 x Thermal Pad kit | 1 x QIG                      |